


**AMENDMENTS TO THE CLAIMS:**


This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1. (Currently Amended) A photosensitive resin composition comprising as a component (A) a halogen-free green colorant of the formula




in which the rings A, B, C and D are substituted by hydroxy or by the moiety



wherein R<sub>1</sub> is hydrogen or C<sub>1</sub>-C<sub>4</sub>-Alkyl, R<sub>2</sub> is hydrogen or C<sub>1</sub>-C<sub>4</sub>-Alkyl, n is 0, 1, 2 or 3 and the ring E is unsubstituted or substituted by C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, hydroxy, NHCO<sub>2</sub>R<sub>3</sub>, NHSO<sub>2</sub>R<sub>4</sub> or SO<sub>2</sub>NHR<sub>5</sub>, wherein R<sub>3</sub> is C<sub>1</sub>-C<sub>4</sub>-Alkyl or phenyl, R<sub>4</sub> is C<sub>1</sub>-C<sub>4</sub>-Alkyl or phenyl and R<sub>5</sub> is C<sub>1</sub>-C<sub>4</sub>-Alkyl or phenyl,

- b) as a component (B) an alkali soluble reactive or unreactive oligomer or reactive or unreactive polymer,
  - c) as a component (C) a polymerizable monomer,
  - d) as a component (D) a photoinitiator,
  - e) as a component (E) an epoxy compound,
- and also, if desired,
- f) as a component (F) further additives.

2. (Original) A photosensitive resin composition according to claim 1, wherein the component (A) is the colorant of formula



3. - 5. (Cancelled)

6. (Previously Presented) Substrate coated with the photosensitive resin composition according to claim 1.

7. - 10. (Cancelled)

11. (Previously Presented) Substrate coated with the photosensitive resin composition according to claim 2.

12. (Cancelled)

13. (Previously Presented) A photosensitive resin according to claim 1, wherein the polymerizable monomer is a vinyl monomer.